



Product data sheet

Issue date: 23/10/25



Flat mop Microblue with strap tape system

Microfibre flat mop, highly absorbent, with strap tape system support



Technical information

code	notes	cm (comm. sizes)		cm (real sizes)		C	pcs	kg	m ³
00000729		30	12	32	12,5		25	1,44	0,011
00000727		40	12	46	12,5		25	2,03	0,014
00000728		60	12	64	12		25	3,03	0,025

SYSTEM

Flat mopping system with frame with strap tape system, to be used either pre-soaked, soaked on demand with soaking station or with handles with tank
Ideal for recurring washing of smooth surfaces

GREEN BOX

EU Ecolabel Certificate

DECITEX of the fibres

Microfibre: 0,16 DTX

Efficient: microfibre requires less chemical to remove dirt and bacteria, reducing water and chemical consumption

Code 00000727 is classified as having a low release of microplastics during washing (test conducted according to ISO 23231 by a specialised external laboratory)

Analysis

Analysis of the mechanical action of the Microblue flat mop alone revealed a 99.99% removal of bacteria and fungi present on the surface (test conducted by a specialised external laboratory adapting the UNI EN 16615:2015 standard).
The analysis of the mechanical action of the Microblue mop revealed a removal of Coronavirus 229E from steel surfaces of 99.9% (test conducted by a specialised external laboratory)

www.ttsystem.com

Advantages

- **Easy:** mop changing is easy and quickly
- **Ergonomic:** it is the most lightweight system of TTS range
- **Highest hygiene:** Microfibre penetrates the micro-pores in the floor, collecting dirt and 99.99% of bacteria
- **Long durability:** high quality strap tape to ensure a long life of the mop

Material

Yarn: microfibre (85% polyester, 15% polyamide) - Support: polyester

Packaging: [click here to see the environmental labelling of packaging](#)

Warnings

Use alkaline detergents with a pH below 11

Washing conditions

Guidelines for proper fibre maintenance

Follow the washing instructions (temperatures and dosage) on the laundry detergent packaging
Perform a pre-wash in cold water without laundry detergent to remove any residual product used during cleaning operations

Recommended use of professional textile laundry detergent

Do not use fabric softener

Do not use laundry detergents with Ph> 11

The use of laundry nets is recommended to speed up and make laundry operations more hygienic


Specific mop instructions

Washing temperature max 90° C, recommended 60°


Bleaching possible, do not use chlorine

Tumble dry or in a dryer possible with low program

Related products



Velook frame




Velook frame with Block System



BIO Pro with strap tape system



BIO Basic with strap tape system




Clean Glass frame

Product options



Microriccio flat mop with strap tape system



Microsafe flat mop with strap tape system