


Product data sheet

Issue date: 23/10/25



Microred flat mop with strap tape system

Microfibre flat mop, highly absorbent, with strap tape system support



Technical information

code	notes	cm (comm. sizes)		cm (real sizes)		C	pcs	kg	m ³
OR000727		40	12	46	12,5		25	2,03	0,014

SYSTEM

Flat mopping system with frame with strap tape system, to be used either pre-soaked, soaked on demand with soaking station or with handles with tank
Ideal for recurring washing of smooth surfaces

GREEN BOX

EU Ecolabel Certificate

DECITEX of the fibres

Microfibre: 0,16 DTX

Efficient: microfibre requires less chemical to remove dirt and bacteria, reducing water and chemical consumption

The product is classified as having a low release of microplastics during washing (test conducted according to ISO 23231 by a specialised external laboratory)

Analysis

Analysis of the mechanical action of the Microred flat mop alone revealed a 99.99% removal of bacteria and fungi present on the surface (test conducted by a specialised external laboratory adapting the UNI EN 16615:2015 standard).
The analysis of the mechanical action of the Microred mop revealed a removal of Coronavirus 229E from steel surfaces of 99.9% (test conducted by a specialised external laboratory)

Advantages

- **Easy:** mop changing is easy and quickly
- **Ergonomic:** it is the most lightweight system of TTS range
- **Highest hygiene:** Microfibre penetrates the micro-pores in the floor, collecting dirt and 99.99% of bacteria
- **Long durability:** high quality strap tape to ensure a long life of the mop

Material

Yarn: microfibre (85% polyester, 15% polyamide) - Support: polyester

Packaging: [click here to see the environmental labelling of packaging](#)

Warnings

Use alkaline detergents with a pH below 11

Washing conditions

Guidelines for proper fibre maintenance

Follow the washing instructions (temperatures and dosage) on the laundry detergent packaging
Perform a pre-wash in cold water without laundry detergent to remove any residual product used during cleaning operations

Recommended use of professional textile laundry detergent

Do not use fabric softener

Do not use laundry detergents with Ph> 11

The use of laundry nets is recommended to speed up and make laundry operations more hygienic


Specific mop instructions

Washing temperature max 90° C, recommended 60°


Bleaching possible, do not use chlorine

Tumble dry or in a dryer possible with low program

Related products



Velook frame



Velook frame with Block System



BIO Pro with strap tape system



BIO Basic with strap tape system

Product options



Pockets system Microred flat mop